
10.0 FIGURES


Figure 1.1.1


Monthly Precipitation
Weighted Basin Average Upstream of Trenton, New Jersey
Calender Years 1999-2003



ata Source: National Weather Service. Normal values are means for period of record from 1971-2000

Figure 1.1-2





Normal values are based on National Weather Service data for the period 1971-2000.

Figure 1.1-3






Figure 1.1-4







Con't figure 1.1.5

Note:

The plots represent the average of all stations in the respective state. Accordingly, they do not reflect conditions exclusively in the Delaware Estuary. The New Jersey and Delaware plots are believed most representative of conditions in the Estuary watershed during the dry conditions of 1999 and 2001-2002.

Explanation - Percentile classes						
1	2	3	4	5	6	7
New low	< 10	10-24	25-74	75 - 89	≥ 90	New high

Plots and definitions provided by the U.S. Geological Survey

Figure 1.2-1 1999-2003 Location of the 7-Day Average of the 250-ppm Isochlor





Figure 1.2-2 Furthest Upstream Locations of the 250-ppm Isochlor in the tidal Delaware River over the period 1999-2003



54

FIGURE 1.3-1 Delaware Estuary Sub- Basins




Figure 1.3-2 a-f Water Use Withdrawals




Figure 1.3-3 a-f Consumptive Water Use

